AMENDMENTS TO THE CLAIMS

Please amend claims 1, 5, 8, 12 and 14, and cancel claims 15-16 as follows. This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently Amended) A method for analyzing motion between two images, comprising: generating a single channel image for each of two input images according to a function that measures, for each pixel, occurrence of a desired characteristic, other than luminance alone, in the input images at each pixel location to provide a <u>single</u> value for <u>an each</u> output pixel in the single channel image from a range of values <u>that represent a likelihood of the occurrence of the desired characteristic</u>; and

computing an estimate of motion of the desired characteristic between the two images using a gradient-based method and using the single channel images generated for the two input images and using as a constraint that a total of the desired characteristic is constant from one image to a next image.

- 2. (Original) The method of claim 1, wherein the desired characteristic is edge magnitude.
- 3. (Original) The method of claim 1, wherein the desired characteristic is proximity to a color.
- 4. (Original) The method of claim 1, further comprising:

 processing the input images according to the estimate of motion.
- 5. (Currently Amended) The method of claim 4, further comprising:
 using the estimate of motion to interpolate between the two images generate several images from the first image to the second image.
- 6. (Original) The method of claim 5, wherein the desired characteristic is edge magnitude.
- 7. (Original) The method of claim 5, wherein the desired characteristic is proximity to a color.

8. (Currently Amended) An apparatus for analyzing motion between two images, comprising:

means for generating a single channel image for each of two input images according to a function that measures, for each pixel, occurrence of a desired characteristic, other than luminance alone, in the input images at each pixel location to provide a <u>single</u> value for <u>an each</u> output pixel in the single channel image from a range of values <u>that represent a likelihood of the</u> occurrence of the desired characteristic; and

means for computing an estimate of motion of the desired characteristic between the two images <u>using a gradient-based method and</u> using the single channel images generated for the two input images <u>and using as a constraint that a total of the desired characteristic is constant from</u> one image to a next image.

- 9. (Original) The apparatus of claim 8, wherein the desired characteristic is edge magnitude.
- 10. (Original) The apparatus of claim 8, wherein the desired characteristic is proximity to a color.
- 11. (Original) The apparatus of claim 8, further comprising: means for processing the input images according to the estimate of motion.
- 12. (Currently Amended) The apparatus of claim 11, further comprising:

means for generating several images <u>interpolate between the two images</u> from the first image to the second image using the estimate of motion.

- 13. (Original) The apparatus of claim 11, wherein the desired characteristic is edge magnitude.
- 14. (Currently Amended) The apparatus of claim 11 8, wherein the desired characteristic is proximity to a color.
- 15-16. Cancelled.